





GRUPO
ALUCENTRO
Desde 1982

LINHA


perfis diversos






Cantoneira de abas iguais

Código	Polegadas		Milímetros		Peso Teórico (kg/m)
	A	e	A	e	
CT-001	1/2	1/16	12,70	1,58	0,102
CT-001AB	1/2	--	12,70	0,90	0,102
CT-005	5/8	1/16	15,87	1,58	0,140
L-053AB	5/8	--	15,87	0,90	0,080
CT-007	3/4	1/16	19,05	1,58	0,13
CT-007AB	3/4	--	19,05	0,90	0,092
CT-010	3/4	1/8	19,05	3,17	0,353
CT-015	1"	--	25,40	1,20	0,160
CT-015AB	1"	--	25,40	0,90	0,130
CT-016	1"	1/16	25,40	1,58	0,21
CT-019	1"	1/8	25,40	3,17	0,408
CT-022	1.1/4	1/8	31,75	3,17	0,516
CT-047	1.1/2	--	38,1	1,57	0,317
CT-026	1.1/2	1/8	38,1	3,17	0,625
CT-031	2	--	50,8	2,00	0,543
CT-032	2	1/8	50,8	3,17	0,842
CT-033	2	3/16	50,8	4,76	1,245
CT-4982	1.1/4	1/16	31,75	1,58	0,266



Cantoneira de abas desiguais

Código	Polegadas		Milímetros		Peso Teórico (kg/m)
	A	e	A	e	
CT-209	32,00	--	16,20	1,20	0,153




Perfil U com
abas e bases
iguais

Código	Polegadas		Milímetros		Peso Teórico (kg/m)
	A	e	A	e	
PU-800	3/8	--	9,53	1,20	0,084
PU-002	1/2	1/16	12,70	1,58	0,149
PU-004	5/8	--	15,87	1,30	0,158
PU-009/L	3/4	1/16	19,05	1,58	0,232
PU-829	1"	1/16	25,40	1,58	0,313




GRUPO

ALUCENTRO



Perfil U com
abas e bases
desiguais

Código	Polegadas		Milímetros		Peso Teórico (kg/m)
	A	e	A	e	
PU-2188	21,96	--	25,40	1,58	0,298
PLK-025	13,50	--	48,00	1,20	0,361
U-555/L	14,50	--	25,00	1,00	0,165
DV-111	37,00	--	11,50	1,15	0,165
DV-0471	38,00	--	26,50	1,15	0,288
PU-1597	9,30	--	20,00	1,00	0,138
U-1110	11,20	--	25,00	1,00	0,160
U-1108/L	11,10	--	22,00	1,00	0,132
U-1108SL	10,30	--	19,80	1,00	0,115
U-1109/L	14,00	--	20,00	1,00	0,144



Perfil T normal

Código	Polegadas		Milímetros		Peso Teórico (kg/m)
	A	e	A	e	
PT-009/L	1"	--	25,4	1,20	0,161
PT-010	1"	1/8	25,4	3,17	0,408
PT-015	1. 1/2	1/8	38,1	3,17	0,625




GRUPO




Barra chata retangular


Código	Polegadas		Milímetros		Peso Teórico (kg/m)
	A	B	A	B	
BC-001	3/8	1/8	9,52	3,18	0,088
BC-002	1/2	1/8	12,70	3,17	0,108
BC-008	5/8	1/8	15,87	3,17	0,135
DC-009	5/8	3/16	15,88	4,76	0,205
BC-015	3/4	1/8	19,05	3,17	0,162
BC-016	3/4	3/16	19,05	4,76	0,246
BC-017	3/4	1/4	19,05	6,35	0,327
BC-021	7/8	1/8	22,22	3,17	0,219
BC-027	1"	1/4	25,40	6,35	0,434
BC-025	1"	1/8	25,4	3,17	0,218
BC-026	1"	3/16	25,4	4,76	0,327
BC-029	1"	3/8	25,4	9,52	0,653
BC-036	1. 1/4	1/8	31,75	3,17	0,273
BC-050	1. 1/2	1/8	38,10	3,17	0,327
BC-060	2"	--	50,8	2,80	0,379
BC-063	2"	3/8	50,8	9,52	1,307
BC-608	--	--	61	2	0,330
BAR-036	4	1/8	101,6	3,18	0,870
BC-064	2	5/16	50,80	7,94	1,089



Código	Polegadas		Milímetros		Peso Teórico (kg/m)
	A	e	A	e	
VR-002	1/4	--	6,52	--	0,090
VR-005	3/8	--	9,52	--	0,103
VR-010	1/2	--	12,7	--	0,343
VR-015	5/8	--	15,87	--	0,532
VR-016	3/4	--	19,05	--	0,770
VR-018	7/8	--	22,23	--	1,048
VR-020	1"	--	25,4	--	1,366
VR-025	1. 1/2	--	38,1	--	3,078
VR-029	2"	--	50,8	--	5,467
VE-035	3.1/2	--	88,90	--	16,76




Código	Polegadas		Milímetros		Peso Teórico (kg/m)
	A	e	A	e	
KR-1002	3/8	--	9,52	1,00	0,072
TR-002	3/8	1/16	9,52	1,58	0,108
TR-004	1/2	--	12,70	1,20	0,122
TR-005	1/2	1/16	12,70	1,58	0,149
TR-011	5/8	--	15,87	1,00	0,127
TR-019	3/4	--	19,05	1,00	0,184
TR-020	3/4	1/16	19,05	1,58	0,238
TR-032	7/8	--	22,22	1,20	1,180
TR-035	7/8	1/16	22,23	1,58	0,340
KR-1097	1"	--	25,40	1,00	0,221
TR-040	1"	1/16	25,40	1,58	0,321
TR-041	1	5-64	25,41	1,98	0,369
TR-043	1	1/8	25,40	3,17	0,594
TR-047	1. 1/8	1/8	28,57	1,58	0,365
TR-055	1. 1/4	1/16	31,75	1,58	0,408
TR-069	1. 1/2	--	38,10	0,90	0,285
TR-070	1. 1/3	1/16	38,10	1,58	0,494
TUR-200	2"	--	50,80	1,00	0,473
TR-098	2"	--	50,80	1,60	0,680
TR-099	2"	5/64	50,80	1,98	0,829
TR-309	2. 1/2	--	63,50	1,58	0,743
TR-311	3"	1/16	76,20	1,58	0,935
KR-1113	1.1/4	--	31,75	1	0,520



Tubo
retangular

Código	Polegadas			Milímetros			Peso Teórico (kg/m)
	A	B	e	A	B	e	
TG-023	6"	--	2"	152,40	50,80	1,50	1,628
TG-019/L	4"	--	2"	101,60	50,80	1,40	1,20
TG-014	3"	--	1 1/2"	76,20	38,10	1,50	1,06
TG-014/L	3"	--	1 1/2"	76,20	38,10	1,40	0,846
TG-007	2"	--	1"	50,80	25,40	2,00	0,820
DS-193	2"	--	1"	50,80	25,40	1,00	0,411
TG-004/L	2"	--	1/2"	50,80	12,70	1,00	0,323
TG-002	2"	--	1/2"	50,80	10,00	1,00	0,320
K-035	1"	--	1/2"	25,40	12,70	1,50	0,203
TG-094	--	--	--	60,00	30,00	2,00	0,932
TG-026	2 3/8"	1 1/2"	--	60,30	38,10	1,70	0,875



Tubo
retangular

Código	Polegadas			Milímetros			Peso Teórico (kg/m)
	A	B	e	A	B	e	
TQ-002/L	1/2"	--	--	12,70	--	0,80	0,13
TQ-003	5/8"	--	1/16"	15,87	--	1,59	0,243
TQ-004	3/4"	--	--	19,05	--	1,00	0,221
TQ-009	1"	--	1/16"	25,40	--	1,58	0,405
TQ-009/L	1"	--	--	25,40	--	1,00	0,260
TQ-012	1 1/4"	--	1/16"	31,75	--	1,58	0,624
TQ-017/L	2"	--	--	50,80	--	1,00	0,614
TQ-031/L	4"	--	4"	101,60	--	1,70	1,92
TQ-014	1 1/2"	--	1/16"	38,10	--	1,58	0,520